L Number	Hits	Search Text	DB	Time stamp
60	2		USPAT;	2004/04/26 14:38
		_	US-PGPUB;	
		·	EPO; JPO;	
			DERWENT;	
[ ca	_	(	IBM_TDB	0001/01/05 11 10
61	0	, (	USPAT;	2004/04/26 14:39
		near10 (messag\$5)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
62	1391	(manag\$5 control\$5) near5 (transaction)	USPAT;	2004/04/26 15:02
		near10 (messag\$5)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
63	150	· · · · · · · · · · · · · · · · · · ·	USPAT;	2004/04/26 14:39
		adj (messag\$5)	US-PGPUB;	
			EPO; JPO;	
]			DERWENT;	
64	94	(manag\$5 control\$5) near3 (transaction)	IBM_TDB USPAT;	2004/04/26 14:40
		adj (messag\$5)	US-PGPUB;	2004/04/20 14.40
		, and (	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
65	0	(T1.246) and ((manag\$5 control\$5) near5	USPAT;	2004/04/26 14:59
1		(transaction) near10 (messag\$5)) and (TCSI	US-PGPUB;	
		(transaction adj code adj status adj	EPO; JPO;	
		indicator))	DERWENT;	
66	0	((manag\$5 control\$5) near5 (transaction)	IBM_TDB USPAT;	2004/04/26 14:57
	· ·	near10 (messag\$5)) and (TCSI (transaction	US-PGPUB;	2004/04/26 14:57
		adj code adj status adj indicator))	EPO; JPO;	
		, , , , , , , , , , , , , , , , , , ,	DERWENT;	
			IBM TDB	
67	0	(, som ((a.a.a.a.a.a.a.a.a.a.a.a.a.a.a.a.a.	USPAT;	2004/04/26 14:57
		(transaction) near10 (messag\$5))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
68	1	T1.246	IBM_TDB USPAT;	2004/04/26 14:58
	-	11.2.0	US-PGPUB;	2004/04/26 14:58
			EPO; JPO;	
			DERWENT;	
	i		IBM_TDB	
69	0	((manag\$5 control\$5) near5 (transaction)	USPAT;	2004/04/26 14:59
		near10 (messag\$5)) and (TCSI (transaction	US-PGPUB;	
		adj code adj status adj indicator))	EPO; JPO;	
			DERWENT; IBM TDB	[
70	0	((manag\$5 control\$5) near5 (transaction)	USPAT;	2004/04/26 15:03
		near10 (messag\$5)) and((attribut\$3) adj	US-PGPUB;	2002/03/20 15:03
		(mask\$4))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	607	709/208,209,210,211.ccls.	USPAT;	2003/12/10 12:40
			US-PGPUB;	]
			EPO; JPO;	
[			DERWENT; IBM TDB	
-	6850	manag\$4 near10 transact\$4	USPAT;	2003/12/10 10:16
		,	US-PGPUB;	,,
			EPO; JPO;	
			DERWENT;	
	_ ,		IBM_TDB	
-	4492	(manag\$4 near10 transact\$4) and (transact\$4	USPAT;	2003/12/10 12:41
		and type)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
			I TOM I DR	

-	3778	((manag\$4 near10 transact\$4) and (transact\$4 and type)) and (gateway stub interface API)	USPAT; US-PGPUB; EPO; JPO;	2003/12/10 10:17
			DERWENT; IBM_TDB	
~	0	(transact\$4 and type)) and (gateway stub interface API)) and (transact\$4 near3	USPAT; US-PGPUB; EPO; JPO;	2003/12/10 10:15
_	197	attribut\$2)) and (mask\$2 near3 match\$4) (((manag\$4 near10 transact\$4) and	DERWENT; IBM_TDB USPAT;	2003/12/10 10:17
		(transact\$4 and type)) and (gateway stub interface API)) and (transact\$4 near3 attribut\$2)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
-	372	(manag\$4 near10 transact\$4) near3 (message\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/10 14:00
-	301	((manag\$4 near10 transact\$4) near3 (message\$2)) and (gateway stub interface API)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/10 10:26
-	36	(((manag\$4 near10 transact\$4) near3 (message\$2)) and (gateway stub interface API)) and (transact\$4 near3 attribut\$2)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/10 10:56
_	25	((((manag\$4 near10 transact\$4) near3 (message\$2)) and (gateway stub interface API)) and (transact\$4 near3 attribut\$2)) and Mask\$3	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/10 10:19
-	264	((manag\$4 near10 transact\$4) near3 (message\$2)) and @ad<20001116	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/10 10:26
-	120	(((manag\$4 near10 transact\$4) near3 (message\$2)) and @ad<20001116) and (gateway stub)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/10 10:27
_	30	((((manag\$4 near10 transact\$4) near3 (message\$2)) and @ad<20001116) and (gateway stub)) and (transact\$4 near3 attribut\$2)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/10 11:10
-	46	((((manag\$4 near10 transact\$4) near3 (message\$2)) and @ad<20001116) and (gateway stub)) and (Mask\$3 and attribut\$2)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/10 15:09
-	5978	709/328,206,204,237,227,230.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/10 13:27
-	3298	709/328,206,204,237,227,230.ccls. and @ad<20001116	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/10 13:57
-	103	(709/328,206,204,237,227,230.ccls. and @ad<20001116) and (manag\$4 near10 transact\$4) and (transact\$4 and type)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/10 14:07
			DERWENT; IBM_TDB	•

-	0	Transaction adj type-Attribute adj string	USPAT; US-PGPUB;	2003/12/10 13:27
			EPO; JPO; DERWENT; IBM TDB	
-	0	Transaction adj Attribute adj string	USPAT; US-PGPUB;	2003/12/10 13:28
			EPO; JPO; DERWENT;	
-	79	Transaction adj Attribute	IBM_TDB USPAT;	2003/12/10 13:28
			US-PGPUB; EPO; JPO; DERWENT;	
-	194	Transaction\$3 adj Attribute\$3	IBM_TDB USPAT;	2003/12/10 14:12
			US-PGPUB; EPO; JPO; DERWENT;	
_	112	(Transaction\$3 adj Attribute\$3) and	IBM_TDB USPAT;	2003/12/11 09:26
		@ad<20001116	US-PGPUB; EPO; JPO;	
-	2621	709/201,247,310,311,313,320.ccls.	DERWENT; IBM_TDB USPAT;	2003/12/10 13:57
			US-PGPUB; EPO; JPO;	, , == == ==
-	1806	709/201,247,310,311,313,320.ccls. and	DERWENT; IBM_TDB USPAT;	2003/12/10 16:17
		@ad<20001116	US-PGPUB; EPO; JPO;	2003, 12, 10 10.17
_	201	(709/201,247,310,311,313,320.ccls. and	DERWENT; IBM_TDB USPAT;	2003/12/10 13:59
		@ad<20001116) and (manag\$4 near3 messag\$4)	US-PGPUB; EPO; JPO;	2003, 12, 10 13:33
_	13	(709/201,247,310,311,313,320.ccls. and	DERWENT; IBM_TDB USPAT;	2003/12/10 14:01
		@ad<20001116) and ((manag\$4 near10 transact\$4) near3 (message\$2))	US-PGPUB; EPO; JPO;	2003, 12, 10 11:01
_	12	(manag\$4) adj (transact\$4 near2 messag\$3)	DERWENT; IBM_TDB USPAT;	2003/12/10 16:19
		3	US-PGPUB; EPO; JPO;	2003,12,10 10.13
_	1298	(manag\$4) adj (messag\$3)	DERWENT; IBM_TDB USPAT;	2003/12/10 14:13
		J J	US-PGPUB; EPO; JPO;	2003/12/10 14:13
_	2	((manag\$4) adj (messag\$3)) and(Transaction\$3	DERWENT; IBM_TDB USPAT;	2003/12/10 14:12
	_	adj Attribute\$3)	US-PGPUB; EPO; JPO;	2003/12/10 14:12
_	808	((manag\$4) adj (messag\$3)) and @ad<20001116	DERWENT; IBM_TDB USPAT;	2003/12/10 14:14
		The state and the seasons and address of the seasons are seasons are seasons are seasons and address of the seasons are seasons are seasons and address of the seasons are seasons and address of the seasons are sea	US-PGPUB; EPO; JPO;	2003/12/10 14:14
_	219	(((manag\$4) adj (messag\$3)) and	DERWENT; IBM_TDB USPAT;	2002/12/10 14:14
		@ad<20001116) and attribut\$4	US-PGPUB; EPO; JPO;	2003/12/10 14:14
			DERWENT; IBM TDB	

-	. 52	((((manag\$4) adj (messag\$3)) and @ad<20001116) and attribut\$4) and mask\$4	USPAT; US-PGPUB;	2003/12/10 15:02
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	2	6427140.pn.	USPAT;	2003/12/10 14:25
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	42	(Transaction adj Attribute) and @ad<20001116	USPĀT;	2003/12/10 15:09
			US-PGPUB;	
1			EPO; JPO; DERWENT;	
			IBM TDB	
-	8	((Transaction adj Attribute) and	USPAT;	2003/12/10 15:05
		@ad<20001116) and mask\$3	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
-	49	(Mask\$4 adj attribute\$3) and @ad<20001116	USPAT;	2003/12/10 16:02
			US-PGPUB;	, ,,
			EPO; JPO;	
			DERWENT; IBM TDB	
-	2	6065037.pn.	USPAT;	2003/12/10 16:02
		•	US-PGPUB;	
	ļ		EPO; JPO;	
			DERWENT;	
_	63	Mask\$4 adj attribute\$3	IBM_TDB USPAT;	2003/12/10 16:12
		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	US-PGPUB;	2003/12/10 16:12
			EPO; JPO;	
			DERWENT;	
_	2	(709/201,247,310,311,313,320.ccls. and	IBM_TDB	2002/12/10 16:15
		@ad<20001116) and (Mask\$4 adj attribute\$3)	USPAT; US-PGPUB;	2003/12/10 16:15
ŀ		,	EPO; JPO;	
			DERWENT;	
_	3	(709/201,247,310,311,313,320.ccls. and	IBM_TDB	0000/00/00 00 00
	,	@ad<20001116) and (Mask\$4 near3 attribute\$3)	USPAT; US-PGPUB;	2003/12/10 16:15
		industrial	EPO; JPO;	
			DERWENT;	
_	0	(700/201 247 210 211 212 2201	IBM_TDB	
1		(709/201,247,310,311,313,320.ccls. and @ad<20001116) and (mask adj format)	USPAT; US-PGPUB;	2003/12/10 16:18
		(	EPO; JPO;	
]			DERWENT;	
_	644	(709/201,247,310,311,313,320.ccls. and	IBM_TDB	2002/12/22
	044	@ad<20001116) and (Attribute\$1 Mask\$3)	USPAT; US-PGPUB;	2003/12/10 16:21
			EPO; JPO;	
			DERWENT;	
_	•	//700/203 247 240 241 242 202	IBM_TDB	
ļ <sup>-</sup>	0	((709/201,247,310,311,313,320.ccls. and @ad<20001116) and (Attribute\$1 Mask\$3)) and	USPAT; US-PGPUB;	2003/12/10 16:19
		((manag\$4) adj (transact\$4 near2 messag\$3))	EPO; JPO;	
		5 5	DERWENT;	
		//700/003 048 046 055 055	IBM_TDB	
-	490	((709/201,247,310,311,313,320.ccls. and @ad<20001116) and (Attribute\$1 Mask\$3)) and	USPAT;	2003/12/10 16:20
j i		((manag\$4) nreal0 (transact\$4 near2	US-PGPUB; EPO; JPO;	
		messag\$3))	DERWENT;	
	_ ]	//	IBM_TDB	
-	2	((709/201,247,310,311,313,320.ccls. and	USPAT;	2003/12/10 16:20
		<pre>@ad&lt;20001116) and (Attribute\$1 Mask\$3)) and ((manag\$4) near10 (transact\$4 near2</pre>	US-PGPUB; EPO; JPO;	
		messag\$3))	DERWENT;	
		<del>-</del> · · ·	IBM_TDB	

Page 4

-	644	(709/201,247,310,311,313,320.ccls. and @ad<20001116) and (Attribute\$1 nra10 Mask\$3)	USPAT; US-PGPUB; EPO; JPO;	2003/12/10 16:21
			DERWENT; IBM_TDB	
-	6	(709/201,247,310,311,313,320.ccls. and @ad<20001116) and (Attribute\$1 near10 Mask\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/10 16:29
-	75	(709/201,247,310,311,313,320.ccls. and @ad<20001116) and (Message\$3 near10 attribute\$3)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/10 16:30
-	17	((709/201,247,310,311,313,320.ccls. and @ad<20001116) and (Message\$3 near10 attribute\$3)) and Mask\$3	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/11 07:45
-	17	((709/201,247,310,311,313,320.ccls. and @ad<20001116) and (Message\$3 near10 attribute\$3)) and Mask\$3	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/11 07:46
-	75	(709/201,247,310,311,313,320.ccls. and @ad<20001116) and (Message\$3 near10 attribute\$3)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/11 08:02
-	0	<pre>(manag\$4 near10 transact\$4)and (gateway)and ((msessag\$3 near3 generat\$4)and (attrribut\$2) and (mask))</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/11 08:35
_	. 66	(manag\$4 near10 transact\$4)and (gateway)and (messag\$3 near3 generat\$4)and (attribut\$2) and (mask)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 08:36
-	66	<pre>(manag\$4 near10 transact\$4)and (gateway)and ((messag\$3 near3 generat\$4)and (attribut\$2) and (mask))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/11 08:36
-	48	(manag\$4 near10 transact\$4)and (gateway)and (messag\$3 near3 generat\$4)and (attribut\$2) and (mask)and @ad<20001116	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/11 09:15
-	2	6560655.pn.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/11 09:19
-	2	5706429.pn.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/11 09:23
-	2	6065037.pn.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/11 09:24
-	51	((attribut\$3) adj (mask\$4)) and @ad<20001116	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/11 10:50
			IBM_TDB	

-	2	((mask\$4)adj(attribute\$4)) near10(match	USPAT;	2003/12/11 10:08
		compare\$4)	US-PGPUB;	1
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	8	((mask\$4)adj(attribute\$4))same(match	USPAT;	2003/12/11 10:51
		compare\$4)	US-PGPUB;	l l
ļ			EPO; JPO;	
			DERWENT;	
	}		IBM_TDB	
-	4	((mask\$4)adj(match compare\$4))same	USPAT;	2003/12/11 10:38
		attribute\$3	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	1
-	8	((mask\$4)adj(attribute\$4))same(match	USPAT;	2003/12/11 10:49
1		compare\$4 retriv\$4)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1			IBM TDB	
-	85	(attribut\$3) adj (mask\$4)	USPAT;	2003/12/11 10:50
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	1	(((attribut\$3) adj (mask\$4)) and	USPAT;	2003/12/11 13:21
	İ	@ad<20001116)	US-PGPUB;	' '
		and(((mask\$4)adj(attribute\$4))same(match	EPO; JPO;	
		compare\$4))	DERWENT;	
1			IBM TDB	
-	2	6223172.pn.	USPAT;	2003/12/11 13:37
1			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	2	6446117.pn.	USPAT;	2003/12/11 13:37
			US-PGPUB;	' '
			EPO; JPO;	
			DERWENT;	
	ļ		IBM TDB	